

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GHK-Cu - 50mg



Tested for: NewGenix Evolution
NewGenixevolution.com

COA #: COA-2026-5MYPI6
Lot Number: GHK-Cu-50-001
Labeled Content: 50mg
Volume: 50mg

Analysis Date: 09/03/2026
Appearance: Good
Volume: 50mg
Date Received: 09/01/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: QPZ75V7W

Method: Purity, Identity & Quantitation (HPLC)

Identity	Peptide Purity	Fentanyl Free
GHK-Cu	99.84%	


Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.84%	%	PASS
Net Peptide Content	Report Only	53.58	mg	N/A
Identity (HPLC-RTM)	GHK-Cu	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



GHK-Cu 50mg - GHK-Cu-50-001

HPLC Chromatogram



GHK-Cu 50mg - GHK-Cu-50-001 : UV Chromatogram

Notes & Methodology

- Date Tested: 09/03/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be GHK-Cu by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Issued by ILS Laboratories
(619) 329-3999
ils-lab.com



Dr. Greg Kalyuzhny
Lab Director
9/3/2026

COA #: COA-2026-5MYPI6
Access Code: QPZ75V7W
Verify: portal.ils-lab.com
Issued: 9/3/2026